

ONEAC Product Suggested Commercial Price List

ONEAC Single-Phase Power Conditioners

ONEAC ConditionOne® Series Wall/Floor Models (60 Hz, 120 V input, 120 V Output)

ONEAC Model #	ONEAC Part #	VA	Amps	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
PC075A	PC075A-S1S	75	0.625	5-15P	(1) 5-15R	6 (3)	\$114
PC120A	PC120A-S1S	120	1	5-15P	(1) 5-15R	9 (4)	\$166
PC120A	PC120A-S2S	120	1	5-15P	(2) 5-15R	9 (4)	\$166
PC180A	PC180A-S2S	180	1.5	5-15P	(2) 5-15R	9 (4)	\$205
PC240A	PC240A-S2S	240	2	5-15P	(2) 5-15R	11 (5)	\$247
PC240A	PC240A-S4S	240	2	5-15P	(4) 5-15R	11 (5)	\$258
PC360A	PC360A-S4S	360	3	5-15P	(4) 5-15R	12 (5)	\$355
PC550A	PC550A-S4S	540	4.6	5-15P	(4) 5-15R	17 (8)	\$445
PC750A	PC750A-S4S	750	6.25	5-15P	(4) 5-15R	21 (10)	\$590
PC1000A	PC1000A-S4S	1000	8.4	5-15P	(4) 5-15R	24.5 (11)	\$742

* Wall-mount brackets included with standard units (add 1.2 [3.1 cm] to overall depth of each unit.)

ONEAC CB/CC Series (60 Hz, 120 V, 208 V, or 240 V Input, 120 V, 208 V or 240 V Output)

ONEAC Model #	ONEAC Part #	VA	Amps	Input (Output)	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
CB1115	011-000	1440	12	120 V (120 V)	5-15P	(6) 5-15R	50 (23)	\$1,001
CB1115	011-011	1440	12	120 V (120 V)	5-15P	(2) 5-15R and (4) 5-20R	50 (23)	\$1,001
CB1120	011-058	1920	16	120 V (120 V)	5-20P	(6) 5-20R	54 (24)	\$1,244
CC1128	012-000	2880	24	120 V (120 V)	L5-30P	(4) 5-20R and (1) L5-30R	78 (35)	\$1,922
CB2320	011-090	1920	8	240 V (240/120 V)	L6-20P	(4) 5-15R and (1) L6-20R	63 (29)	\$1,372
CB2320	011-092	1920	8	240 V (240/120 V)	L6-30P	(4) 5-15R and (1) L6-30R	63 (29)	\$1,372
CC2333	012-040	3330	14	208 V (240/120 V)	L14-20P	(4) 5-20R and (1) L14-20R	81 (37)	\$2,587
CC2338	012-080	3840	16	240 V (240/120 V)	L6-20P	(4) 5-20R and (1) L6-20R	81 (37)	\$2,587
CC2338	012-085	3840	16	240 V (240/120 V)	L6-30P	(4) 5-20R and (1) L6-30R	81 (37)	\$2,587
CC2357	012-164	5760	24	240 V (240/120 V)	L6-30P	(2) 5-15R and (2) L6-20R	110 (50)	\$3,039
CC2357	012-160	5760	24	240 V (240/120 V)	L6-30P	(4) 5-20R and (1) L6-30R	110 (50)	\$3,039
CSD23100	010-175	9600	40	200-240 V (240/120 V)	Hardwired	Hardwired	350 (130)	\$7,789

ONEAC Product Suggested Commercial Price List

Filters

ONEAC FA Power Filter (Three-Phase) (Multi V Input, Multi V Output)

ONEAC Model #	ONEAC Part #	VA	Amp/ phase	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
FA23030	026-005	0	30	Hardwired	Hardwired	85 (38)	\$4,724
FA23060	026-060	0	60	Hardwired	Hardwired	150 (68)	\$7,827
FA23100	026-070	0	100	Hardwired	Hardwired	210 (95)	\$10,765
GND BAR	350-055	Single Point Grounding Adapter Kit				1 (.5)	\$10

Note: Power Conditioners are also available in other plug/receptacle configurations.

ONEAC Product Suggested Commercial Price List

ONEAC Communication Line Protectors

ONEAC Sentinel™ Series - for Five Pin Bases

ONEACPart #	Description	Ship Wt. lbs. (kg)	List Price
N5-27-GBK	Primary Protector for ADSL and Analog Service (gold plated pins)	1 (.5)	\$16
N5-27-TBK	Primary Protector for ADSL and Analog Service (tin plated pins)	1 (.5)	\$16
N5-27-GYW	Primary Protector for Digital (ISDN) Service (gold plated pins)	1 (.5)	\$16
N5-27-TYW	Primary Protector for Digital (ISDN) Service (tin plated pins)	1 (.5)	\$16
N5-27-GBE	Primary Protector for Digital (T1 line) Service (gold plated pins)	1 (.5)	\$16
N5-27-TBE	Primary Protector for Digital (T1 line) Service (tin plated pins)	1 (.5)	\$16
N5-27-GRD	Primary Protector for Analog and Digital Services Requiring Special Identification (gold pl	1 (.5)	\$16
N5-27-TRD	Primary Protector for Analog and Digital Services Requiring Special Identification (tin plat	1 (.5)	\$16
N5-45-TBE	Primary/Secondary for Analog Service (tin plated pins)	1 (.5)	\$16

ONEAC Sentinel Series - for 66 Block M150

ONEACPart #	Description	Ship Wt. lbs. (kg)	List Price
6-AD	Primary/Secondary Protector for ADSL Service	1 (.5)	\$16
6-AP	Primary/Secondary Protector for Analog Service	1 (.5)	\$17
6-DP	Primary/Secondary Protector for Digital Phones, ISDN	1 (.5)	\$17
6-DC	Primary/Secondary Protector for Digital Carrier	1 (.5)	\$17
350-032	Ground Bar for 66 Block	1 (.5)	\$9

ONEAC Sentinel Series - for 10 Pair for KRONE-Type Bases

ONEACPart #	Description	Ship Wt lbs (kg)	List Price
10NP-1	Primary/Secondary Protector for Analog, ADSL and E1 Digital Service	1 (.5)	\$21
350-139	Ground Bar (10-Position)	1 (.5)	\$6
350-140	Ground Bar (8-Position)	1 (.5)	\$12

ONEAC Product Suggested Commercial Price List

ONEAC Communication Line Protectors

ONEAC OnLine® Series - for Porta Type Connections

ONEACPart #	Description	Ship Wt. lbs. (kg)	List Price
1-AP	Primary/Secondary Protector for Analog Service	1 (.5)	\$16
1-DP	Primary/Secondary Protector for Digital Service	1 (.5)	\$16

ONEAC OnLine Series - for Five Pin Bases

ONEACPart #	Description	Ship Wt. lbs. (kg)	List Price
5S-AD	Primary/Secondary Protector for ADSL Lines. Meets test requirements for Telecordia GR974.	1 (.5)	\$16
5S-AP	Primary/Secondary Protector for Analog Service	1 (.5)	\$16
5S-DC	Primary/Secondary Protector for Digital (T2, HDSL lines) Lines. Meets test requirements for Telecordia GR974.	1 (.5)	\$13
5S-DP	Primary/Secondary Protector for Digital Phones, ISDN	1 (.5)	\$16
5S-SP	Primary/Secondary Protector for Special Service	1 (.5)	\$16
5S-DC300-TNN	Primary/Secondary Protector for Digital (T1) Service	1 (.5)	\$16
5S-DCCP	Primary/Secondary Protector for xDSL Service	1 (.5)	\$16
5S-DSP10	Primary/Secondary Protector for Digital Stations	1 (.5)	\$16
5S-DSP20	Primary/Secondary Protector for Digital Stations	1 (.5)	\$16
5S-DSP36	Primary/Secondary Protector for Digital Stations	1 (.5)	\$16
5S-DSP68	Primary/Secondary Protector for Digital Stations	1 (.5)	\$20
5S-ADCP	Primary/Secondary Protector for ADSL Service	1 (.5)	\$16

ONEAC OnLine Series - for 66 Block M150

ONEACPart #	Description	Ship Wt. lbs. (kg)	List Price
6-DSP10	Primary/Secondary Protector for Digital Stations	1 (.5)	\$17
6-DSP20	Primary/Secondary Protector for Digital Stations	1 (.5)	\$17
6-DSP36	Primary/Secondary Protector for Digital Stations	1 (.5)	\$17
6-DSP68	Primary/Secondary Protector for Digital Stations	1 (.5)	\$17
350-032	Ground Bar for 66 Block	1 (.5)	\$9

ONEAC OnLine Series - for 10 Pair for KRONE-Type Bases

ONEACPart #	Description	Ship Wt lbs (kg)	List Price
10-APU	Primary/Secondary Protector for Analog 10-Pair Service	1 (.5)	\$175
10-DPU	Primary/Secondary Protector for Digital 10-Pair Service	1 (.5)	\$175
10AP-1U	Primary/Secondary Protector for Analog 1-Pair Service	1 (.5)	\$17
10DP-1U	Primary/Secondary Protector for Digital 1-Pair Service	1 (.5)	\$17
350-139	Ground Bar (10-Position)	1 (.5)	\$6
350-140	Ground Bar (8-Position)	1 (.5)	\$12

ONEAC OnLine Series - Serial Port Protectors

ONEACPart #	Description	Ship Wt lbs (kg)	List Price
DB9-DA30	RS232 DB9 Protector	1 (.5)	\$49
DB25-DA30	RS232 DB25 Protector	1 (.5)	\$58

ONEAC Product Suggested Commercial Price List

ONEAC Communication Line Protectors

ONEAC OnLine Series - for RJ-Type Connections

ONEACPart #	Description	Ship Wt. lbs. (kg)	List Price
RJ-AD11	Primary/Secondary Protector for ADSL Service	1 (.5)	\$31
RJ-DC11	Primary/Secondary Protector for xDSL Service	1 (.5)	\$31
RJ-DP11	Primary/Secondary Protector for Digital Phones, ISDN	1 (.5)	\$29
RJ-DP14	Primary/Secondary Protector for Digital Phones, ISDN	1 (.5)	\$39
RJ-DP45	Primary/Secondary Protector for Digital Phones, ISDN	1 (.5)	\$59
RJ-DP48C	Primary/Secondary Protector for T1 Lines	1 (.5)	\$49
RJ-DP48S	Primary/Secondary Protector for DS0 Lines	1 (.5)	\$49
RJ-DSP10E	Primary/Secondary Protector for 10BaseT Ethernet	1 (.5)	\$39
RJ-DSP20	Primary/Secondary Protector for Digital Stations	1 (.5)	\$29
RJ-DSP36	Primary/Secondary Protector for Digital Stations	1 (.5)	\$29
RJ-DSP68	Primary/Secondary Protector for Digital Stations	1 (.5)	\$29
RJ-ELP100	OnLine 10/100BaseT Ethernet Protector	1 (.5)	\$46

ONEAC OnLine Series - for Hardwired Applications

ONEACPart #	Description	Ship Wt. lbs. (kg)	List Price
ST-AP-01	Primary/Secondary Protector for Analog Service	1 (.5)	\$59
ST-AP-02	Primary/Secondary Protector for Analog Service	1 (.5)	\$59
ST-AP	Primary/Secondary Protector for Analog Service	1 (.5)	\$59
ST-DC-01	Primary/Secondary Protector for Analog Service	1 (.5)	\$59
ST-DC-02	Primary/Secondary Protector for Analog Service	1 (.5)	\$59
ST-DC	Primary/Secondary Protector for Analog Service	1 (.5)	\$59
ST-DP-01	Primary/Secondary Protector for Analog Service	1 (.5)	\$59
ST-DP-02	Primary/Secondary Protector for Analog Service	1 (.5)	\$59
ST-DP	Primary/Secondary Protector for Digital (ISDN, digital OPX station without ring signal) 4-P	1 (.5)	\$59
110-AP	Primary/Secondary Protector for Analog 4-Pair	1 (.5)	\$59
110-DP	Primary/Secondary Protector for Digital 4-Pair	1 (.5)	\$59

ONEAC Product Suggested Commercial Price List

ONEAC Communication Line Protectors

Convergent Series™ Rackmount Base and Modular Communication Line Protectors

ONEACPart #	Description	Ship Wt. lbs. (kg)	List Price
RM-5	Surface-mount Base Unit (for up to 5 modules)	1 (.5)	\$32*
RM-10	Surface-mount Base Unit (for up to 10 modules)	1 (.5)	\$40*
RM-16	Rack-mount Base Unit (for up to 16 modules)	1 (.5)	\$48*
RM-AD11	Primary/Secondary ADSL Protector	1 (.5)	\$35
RM-AD14	Primary/Secondary ADSL Protector	1 (.5)	\$41
RM-AP11	Primary/Secondary POTS Protector	1 (.5)	\$35
RM-AP14	Primary/Secondary POTS Protector	1 (.5)	\$41
RM-DA30	Primary/Secondary RS232/RS485 Protector	1 (.5)	\$50
RM-DC11	Primary/Secondary xDSL Protector	1 (.5)	\$35
RM-DC14	Primary/Secondary xDSL Protector	1 (.5)	\$41
RM-DP11	Primary/Secondary Protector Digital Phones/ISDN	1 (.5)	\$35
RM-DP14	Primary/Secondary Protector Digital Phones/ISDN	1 (.5)	\$41
RM-DP48C	Primary/Secondary DS1/T1 Protector	1 (.5)	\$45
RM-DP48S	Primary/Secondary DS0 Protector	1 (.5)	\$45
RM-DSP10	Primary/Secondary Protector for Digital Stations	1 (.5)	\$43
RM-DSP20	Primary/Secondary Protector for Digital Stations	1 (.5)	\$43
RM-DSP36	Primary/Secondary Protector for Digital Stations	1 (.5)	\$43
RM-DSP68	Primary/Secondary Protector for Digital Stations	1 (.5)	\$47
RM-ELP100	Primary/Secondary 10/100 BaseT Ethernet Protector	1 (.5)	\$37
RM-PELP100	10/100 BaseT Powered VOIP Ethernet Protector	1 (.5)	\$55

* Non-discountable items.

ONEAC Product Suggested Commercial Price List

ON Series® UPS (Power Conditioned Line-Interactive)

ONePlus Series - Standard Models (60 Hz, 120 V input, 120 V Output)

ONEAC Part #	VA	Watts	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
ONE254AG-SE	250	167	5-15P	(4) 5-15R	28 (13)	\$384
ONE404AG-SE	400	265	5-15P	(4) 5-15R	28 (13)	\$528
ONE604AG-SE	600	402	5-15P	(8) 5-15R	57 (26)	\$757
ONE1004AG-SE	1000	670	5-15P	(8) 5-15R (T)	63 (29)	\$990

ONEAC ON Series e - Standard Models (60 Hz, 120 V input, 120 V Output)

ONEAC Part #	VA	Watts	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
ONE600XA-SB	600	400	5-15P	(4) 5-15R	51 (23)	\$976
ONEXBC-217	ONEAC Extended Runtime battery cabinet for ONE600				38 (17)	\$348

ONEAC ON Series e - Wallmount Models (60 Hz, 120 V Input, 120 V Output)

ONEAC Part #	VA	Watts	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
ONE300XA-W-SV	300	200	5-15P	(2) 5-15R	43 (20)	\$693
ONE300XA-W-SB	300	200	5-15P	(2) 5-15R	43 (20)	\$733
ONEXBC-W-217	ONEAC Standard Extended Runtime battery cabinet for ON Series e Wall-Mount UPSs.				36 (16)	\$348

NOTE: "X" designates models with extended runtime capabilities. Multiple battery cabinets can be daisy-chained to UPS for extended runtimes

"W" or "WL" designates wallmounted models.

"D" designates double battery.

"SV" no communications interface, standard receptacles.

"SB" basic communications interface, standard receptacles.

Receptacles with (T) refers to "T-Slot" output connector and will accept either 1-15P or 5-20P plugs

ONEAC Product Suggested Commercial Price List

ONEAC ON Series UPS (Power Conditioned, Line-Interactive) (continued)

ONEAC ON Series Full Communications - Standard Models (60 Hz, 120 V Input, 120 V Output)

ONEAC Part #	VA	Watts	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
ON400A-SN	400	280	5-15P	(4) 5-15R	35 (16)	\$792
ON600A-SN	600	400	5-15P	(4) 5-15R	46 (21)	\$977
ON900A-SN	900	600	5-15P	(6) 5-15R	65 (29)	\$1,282
ON1300A-SN	1300	900	5-15P	(8) 5-15R	83 (38)	\$1,712
ON2000A-SN	1850	1300	5-20P	(8) 5-15R	137 (62)	\$2,446

ONEAC ON Series Full Communications - Wallmount Models (60 Hz, 120 V Input and 120 V Output)

ONEAC Part #	VA	Watts	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
ON400XA-WL-SNK	400	280	5-15P	(4) 5-15R	70 (32)	\$1,120
ON600XA-WL-SNK	600	400	5-15P	(4) 5-15R	74 (34)	\$1,273
ONXBC-WL-217	ONEAC Wallmount Extended Runtime Battery Cabinet				40 (18)	\$449

ONEAC ON Series Full Communications - Extended Runtime Models (60 Hz, 120 V Input, 120 V Output or 208-240 V Input, 115-230 V Output)

ONEAC Part #	VA	Watts	Input (Output)	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
ON2200XA-SNK	2200	1500	208/240 V (115-230 V)	L6-30P	(2) L6-30R and (4) 5-20R	157 (71)	\$3,202
ON2200XA-SNTK	2200	1500	208/240 V (115-230 V)	L6-30P	(2) L6-30R & (4) 5-20R	160 (73)	\$3,202
ONXBC-417	ONEAC Extended Runtime Battery Cabinet for Standard ON Series e UPSs.					75 (34)	\$749

NOTE: All ON Series Models have basic and advanced communications capabilities.

"X" designates models with extended runtime capabilities. Multiple battery cabinets can be daisy-chained to UPS for extended runtimes

"RM" designates rackmounted models, 2-post.

"SR" designates rackmounted models, 4-post.

"W" or "WL" designates wallmounted models.

"SN" designates interface is capable of either Basic or Advanced Communications.

"NI" designates models suitable for Nortel PBX apps (includes isolated contact interface card and 8 ft. cable to connect ONEAC system monitor port to the column of PBX).

ONEAC Product Suggested Commercial Price List

ONEAC ON Series UPS (Power Conditioned, Line-Interactive) (continued)

ONEAC ON Series Full Communications - Universal Mount Models (60 Hz, 120 V Input, 120 V Output)

ONEAC Part #	VA	Watts	Plug	Receptacle	Ship Wt. Lb. (kg)	List Price
ON700XAU-SN	700	490	5-15P	(8) 5-20R (T)	65 (30)	\$1,226
ON700XAU-SN1	700	490	5-15P	(8) 5-20R (T)	149 (68)	\$1,975
ON700XAU-SN2	700	490	5-15P	(8) 5-20R (T)	233 (105)	\$2,724
ON700XAU-SN3	700	490	5-15P	(8) 5-20R (T)	317 (144)	\$3,473
ON700XAU-SN4	700	490	5-15P	(8) 5-20R (T)	401 (182)	\$4,222
ON700XAU-SN5	700	490	5-15P	(8) 5-20R (T)	485 (220)	\$4,971
ON700XAU-SN6	700	490	5-15P	(8) 5-20R (T)	569 (258)	\$5,720
ON700XAU-SN7	700	490	5-15P	(8) 5-20R (T)	653 (296)	\$6,469
ON700XAU-SN8	700	490	5-15P	(8) 5-20R (T)	737 (334)	\$7,218
ON700XAU-SN9	700	490	5-15P	(8) 5-20R (T)	821 (372)	\$7,967
ON700XAU-SN10	700	490	5-15P	(8) 5-20R (T)	905 (411)	\$8,716
ON700XAU-SN11	700	490	5-15P	(8) 5-20R (T)	989 (449)	\$9,465
ON700XAU-CN	700	490	L5-20P	(1) L5-20R & (4) 5-20R (T)	65 (30)	\$1,226
ON700XAU-CN1	700	490	L5-20P	(1) L5-20R & (4) 5-20R (T)	149 (68)	\$1,975
ON700XAU-CN2	700	490	L5-20P	(1) L5-20R & (4) 5-20R (T)	233 (105)	\$2,724
ON700XAU-CN3	700	490	L5-20P	(1) L5-20R & (4) 5-20R (T)	317 (144)	\$3,473
ON700XAU-CN4	700	490	L5-20P	(1) L5-20R & (4) 5-20R (T)	401 (182)	\$4,222
ON700XAU-CN5	700	490	L5-20P	(1) L5-20R & (4) 5-20R (T)	485 (220)	\$4,971
ON700XAU-CN6	700	490	L5-20P	(1) L5-20R & (4) 5-20R (T)	569 (258)	\$5,720
ON700XAU-CN7	700	490	L5-20P	(1) L5-20R & (4) 5-20R (T)	653 (296)	\$6,469
ON700XAU-CN8	700	490	L5-20P	(1) L5-20R & (4) 5-20R (T)	737 (334)	\$7,218
ON700XAU-CN9	700	490	L5-20P	(1) L5-20R & (4) 5-20R (T)	821 (372)	\$7,967
ON700XAU-CN10	700	490	L5-20P	(1) L5-20R & (4) 5-20R (T)	905 (411)	\$8,716
ON700XAU-CN11	700	490	L5-20P	(1) L5-20R & (4) 5-20R (T)	989 (449)	\$9,465
ONXBCU-417	ONEAC Standard Extended Runtime battery cabinet for ON700, ON1000 UPS, ON1500 and ON2000 Universal Mount UPSs.				84 (38)	\$749.00

All ON Series Models have basic and advanced communications capabilities.

The ON Series Universal Mount UPSs include MopUPSPROFESSIONAL software and cable.

"X" designates models with extended runtime capabilities. Multiple battery cabinets can be daisy-chained to UPS for extended runtimes.

"U" designates universal mount (vertical, horizontal, rack).

"SN" designates interface is capable of either Basic or Advanced Communications.

ONEAC Product Suggested Commercial Price List

ONEAC ON Series UPS (Power Conditioned, Line-Interactive) (continued)

ONEAC ON Series Full Communications - Universal Mount Models (60 Hz, 120 V Input, 120 V Output)

ONEAC Part #	VA	Watts	Plug	Receptacle	Ship Wt. Lb. (kg)	List Price
ON1000XAU-SN	1000	700	5-15P	(8) 5-20R (T)	65 (30)	\$1,491
ON1000XAU-SN1	1000	700	5-15P	(8) 5-20R (T)	149 (68)	\$2,240
ON1000XAU-SN2	1000	700	5-15P	(8) 5-20R (T)	233 (105)	\$2,989
ON1000XAU-SN3	1000	700	5-15P	(8) 5-20R (T)	317 (144)	\$3,738
ON1000XAU-SN4	1000	700	5-15P	(8) 5-20R (T)	401 (182)	\$4,487
ON1000XAU-SN5	1000	700	5-15P	(8) 5-20R (T)	485 (220)	\$5,236
ON1000XAU-SN6	1000	700	5-15P	(8) 5-20R (T)	569 (258)	\$5,985
ON1000XAU-SN7	1000	700	5-15P	(8) 5-20R (T)	653 (296)	\$6,734
ON1000XAU-SN8	1000	700	5-15P	(8) 5-20R (T)	737 (334)	\$7,483
ON1000XAU-SN9	1000	700	5-15P	(8) 5-20R (T)	821 (372)	\$8,232
ON1000XAU-SN10	1000	700	5-15P	(8) 5-20R (T)	905 (411)	\$8,981
ON1000XAU-SN11	1000	700	5-15P	(8) 5-20R (T)	989 (449)	\$9,730
ON1000XAU-CN	1000	700	L5-20P	(1) L5-20R & (4) 5-20R (T)	65 (30)	\$1,491
ON1000XAU-CN1	1000	700	L5-20P	(1) L5-20R & (4) 5-20R (T)	149 (68)	\$2,240
ON1000XAU-CN2	1000	700	L5-20P	(1) L5-20R & (4) 5-20R (T)	233 (105)	\$2,989
ON1000XAU-CN3	1000	700	L5-20P	(1) L5-20R & (4) 5-20R (T)	317 (144)	\$3,738
ON1000XAU-CN4	1000	700	L5-20P	(1) L5-20R & (4) 5-20R (T)	401 (182)	\$4,487
ON1000XAU-CN5	1000	700	L5-20P	(1) L5-20R & (4) 5-20R (T)	485 (220)	\$5,236
ON1000XAU-CN6	1000	700	L5-20P	(1) L5-20R & (4) 5-20R (T)	569 (258)	\$5,985
ON1000XAU-CN7	1000	700	L5-20P	(1) L5-20R & (4) 5-20R (T)	653 (296)	\$6,734
ON1000XAU-CN8	1000	700	L5-20P	(1) L5-20R & (4) 5-20R (T)	737 (334)	\$7,483
ON1000XAU-CN9	1000	700	L5-20P	(1) L5-20R & (4) 5-20R (T)	821 (372)	\$8,232
ON1000XAU-CN10	1000	700	L5-20P	(1) L5-20R & (4) 5-20R (T)	905 (411)	\$8,981
ON1000XAU-CN11	1000	700	L5-20P	(1) L5-20R & (4) 5-20R (T)	989 (449)	\$9,730
ONXBCU-417	ONEAC Standard Extended Runtime battery cabinet for ON700, ON1000 UPS, ON1500 and ON2000 Universal Mount UPSs.				84 (38)	\$749.00

All ON Series Models have basic and advanced communications capabilities.

The ON Series Universal Mount UPSs include MopUPSPROFESSIONAL software and cable.

"X" designates models with extended runtime capabilities. Multiple battery cabinets can be daisy-chained to UPS for extended runtimes.

"U" designates universal mount (vertical, horizontal, rack).

"SN" designates interface is capable of either Basic or Advanced Communications.

ONEAC Product Suggested Commercial Price List

ONEAC ON Series UPS (Power Conditioned, Line-Interactive) (continued)

ONEAC ON Series Full Communications - Universal Mount Models (60 Hz, 120 V Input, 120 V Output)

ONEAC Part #	VA	Watts	Plug	Receptacle	Ship Wt. Lb. (kg)	List Price
ON1500XAU-SN	1440	1000	5-15P	(8) 5-20R (T)	71 (32)	\$1,904
ON1500XAU-SN1	1440	1000	5-15P	(8) 5-20R (T)	155 (70)	\$2,653
ON1500XAU-SN2	1440	1000	5-15P	(8) 5-20R (T)	239 (108)	\$3,402
ON1500XAU-SN3	1440	1000	5-15P	(8) 5-20R (T)	323 (147)	\$4,151
ON1500XAU-SN4	1440	1000	5-15P	(8) 5-20R (T)	407 (185)	\$4,900
ON1500XAU-SN5	1440	1000	5-15P	(8) 5-20R (T)	491 (575)	\$5,649
ON1500XAU-SN6	1440	1000	5-15P	(8) 5-20R (T)	575 (261)	\$6,398
ON1500XAU-SN7	1440	1000	5-15P	(8) 5-20R (T)	659 (299)	\$7,147
ON1500XAU-SN8	1440	1000	5-15P	(8) 5-20R (T)	743 (337)	\$7,896
ON1500XAU-SN9	1440	1000	5-15P	(8) 5-20R (T)	827 (375)	\$8,645
ON1500XAU-SN10	1440	1000	5-15P	(8) 5-20R (T)	911 (413)	\$9,394
ON1500XAU-SN11	1440	1000	5-15P	(8) 5-20R (T)	995 (451)	\$10,143
ON1500XAU-CN	1440	1000	L5-20P	(1) L5-20R & (4) 5-20R (T)	71 (32)	\$1,904
ON1500XAU-CN1	1440	1000	L5-20P	(1) L5-20R & (4) 5-20R (T)	155 (70)	\$2,653
ON1500XAU-CN2	1440	1000	L5-20P	(1) L5-20R & (4) 5-20R (T)	239 (108)	\$3,402
ON1500XAU-CN3	1440	1000	L5-20P	(1) L5-20R & (4) 5-20R (T)	323 (147)	\$4,151
ON1500XAU-CN4	1440	1000	L5-20P	(1) L5-20R & (4) 5-20R (T)	407 (185)	\$4,900
ON1500XAU-CN5	1440	1000	L5-20P	(1) L5-20R & (4) 5-20R (T)	491 (575)	\$5,649
ON1500XAU-CN6	1440	1000	L5-20P	(1) L5-20R & (4) 5-20R (T)	575 (261)	\$6,398
ON1500XAU-CN7	1440	1000	L5-20P	(1) L5-20R & (4) 5-20R (T)	659 (299)	\$7,147
ON1500XAU-CN8	1440	1000	L5-20P	(1) L5-20R & (4) 5-20R (T)	743 (337)	\$7,896
ON1500XAU-CN9	1440	1000	L5-20P	(1) L5-20R & (4) 5-20R (T)	827 (375)	\$8,645
ON1500XAU-CN10	1440	1000	L5-20P	(1) L5-20R & (4) 5-20R (T)	911 (413)	\$9,394
ON1500XAU-CN11	1440	1000	L5-20P	(1) L5-20R & (4) 5-20R (T)	995 (451)	\$10,143
ONXBCU-417	ONEAC Standard Extended Runtime battery cabinet for ON700, ON1000 UPS, ON1500 and ON2000 Universal Mount UPSs.				84 (38)	\$749.00

*Actual runtimes may vary due to application specifications.

All ON Series Models have basic and advanced communications capabilities.

The ON Series Universal Mount UPSs include MopUPSPROFESSIONAL software and cable.

"X" designates models with extended runtime capabilities. Multiple battery cabinets can be daisy-chained to UPS for extended runtimes

"U" designates universal mount (vertical, horizontal, rack).

"SN" designates interface is capable of either Basic or Advanced Communications.

For UPS Communications, Software, and Accessories see page 13.

ONEAC Product Suggested Commercial Price List

ONEAC ON Series UPS (Power Conditioned, Line-Interactive) (continued)

ONEAC ON Series Full Communications - Universal Mount Models (60 Hz, 120 V Input, 120 V Output)

ONEAC Part #	VA	Watts	Plug	Receptacle	Ship Wt. Lb. (kg)	List Price
ON2000XAU-SN	1920	1345	5-20P	(8) 5-20R (T)	112 (51)	\$2,783
ON2000XAU-SN1	1920	1345	5-20P	(8) 5-20R (T)	196 (89)	\$3,532
ON2000XAU-SN2	1920	1345	5-20P	(8) 5-20R (T)	280 (127)	\$4,281
ON2000XAU-SN3	1920	1345	5-20P	(8) 5-20R (T)	364 (165)	\$5,030
ON2000XAU-SN4	1920	1345	5-20P	(8) 5-20R (T)	448 (206)	\$5,779
ON2000XAU-SN5	1920	1345	5-20P	(8) 5-20R (T)	532 (241)	\$6,528
ON2000XAU-SN6	1920	1345	5-20P	(8) 5-20R (T)	616 (279)	\$7,277
ON2000XAU-SN7	1920	1345	5-20P	(8) 5-20R (T)	700 (318)	\$8,026
ON2000XAU-SN8	1920	1345	5-20P	(8) 5-20R (T)	784 (326)	\$8,775
ON2000XAU-SN9	1920	1345	5-20P	(8) 5-20R (T)	868 (394)	\$9,524
ON2000XAU-SN10	1920	1345	5-20P	(8) 5-20R (T)	952 (432)	\$10,273
ON2000XAU-SN11	1920	1345	5-20P	(8) 5-20R (T)	1036 (470)	\$11,022
ON2000XAU-TN	1920	1345	L5-20P	(4) L5-15R & (4) 5-20R (T)	112 (51)	\$2,783
ON2000XAU-CN	1920	1345	L5-20P	(2) L5-20R & (4) 5-20R (T)	112 (51)	\$2,783
ON2000XAU-CN1	1920	1345	L5-20P	(2) L5-20R & (4) 5-20R (T)	196 (89)	\$3,532
ON2000XAU-CN2	1920	1345	L5-20P	(2) L5-20R & (4) 5-20R (T)	280 (127)	\$4,281
ON2000XAU-CN3	1920	1345	L5-20P	(2) L5-20R & (4) 5-20R (T)	364 (165)	\$5,030
ON2000XAU-CN4	1920	1345	L5-20P	(2) L5-20R & (4) 5-20R (T)	448 (206)	\$5,779
ON2000XAU-CN5	1920	1345	L5-20P	(2) L5-20R & (4) 5-20R (T)	532 (241)	\$6,528
ON2000XAU-CN6	1920	1345	L5-20P	(2) L5-20R & (4) 5-20R (T)	616 (279)	\$7,277
ON2000XAU-CN7	1920	1345	L5-20P	(2) L5-20R & (4) 5-20R (T)	700 (318)	\$8,026
ON2000XAU-CN8	1920	1345	L5-20P	(2) L5-20R & (4) 5-20R (T)	784 (326)	\$8,775
ON2000XAU-CN9	1920	1345	L5-20P	(2) L5-20R & (4) 5-20R (T)	868 (394)	\$9,524
ON2000XAU-CN10	1920	1345	L5-20P	(2) L5-20R & (4) 5-20R (T)	952 (432)	\$10,273
ON2000XAU-CN11	1920	1345	L5-20P	(2) L5-20R & (4) 5-20R (T)	1036 (470)	\$11,022
ONXBCU-417	ONEAC Standard Extended Runtime battery cabinet for ON700, ON1000 UPS, ON1500 and ON2000 Universal Mount UPSs.				84 (38)	\$749.00

ONEAC ON Series Full Communications - Universal Mount Models (60 Hz, 120 V Input, 120 V Output)

ONEAC Part #	VA	Watts	Plug	Receptacle	Ship Wt. Lb. (kg)	List Price
ON3000XAU-SN	3000	2100	L6-20P	(9) 5-20 R (T) & (3) 6-20 R	143 (65)	\$2,990
ONXBCU-2X217	ONEAC Standard Extended Runtime battery cabinet for ON3000 Universal Mount UPS.				83 (38)	\$802

*Actual runtimes may vary due to application specifications.

All ON Series Models have basic and advanced communications capabilities.

The ON Series Universal Mount UPSs include MopUPSPROFESSIONAL software and cable.

"X" designates models with extended runtime capabilities. Multiple battery cabinets can be daisy-chained to UPS for extended runtimes

"U" designates universal mount (vertical, horizontal, rack).

"SN" designates interface is capable of either Basic or Advanced Communications.

For UPS Communications, Software, and Accessories see page 13.

ONEAC Product Suggested Commercial Price List ONEAC ON Series UPS (Power Conditioned, Line-Interactive) (continued)

ONEAC ON Series Full Communications (for Nortel PBX Apps) (60 Hz, 208/220-240 V input, 120/208 V or 120/220-240 V output)

ONEAC Part #	VA	Watts	Plug	Receptacle	Ship Wt. Lb. (kg)	List Price
ON3300NT0	3300	2200	L6-30P	(3) L6-30R and (4) 5-15R	375 (170)	\$7,654
ON3300NT1	3300	2200	L6-30P	(3) L6-30R and (4) 5-15R	593 (269)	\$10,424
ON3300NT2	3300	2200	L6-30P	(3) L6-30R and (4) 5-15R	731 (332)	\$11,272
ON3300NT4	3300	2200	L6-30P	(3) L6-30R and (4) 5-15R	1087 (493)	\$15,305
ON3300NT6	3300	2200	L6-30P	(3) L6-30R and (4) 5-15R	1592 (722)	\$15,885
ON3300NT8	3300	2200	L6-30P	(3) L6-30R and (4) 5-15R	1948 (884)	\$17,705
ON3300NT10	3300	2200	L6-30P	(3) L6-30R and (4) 5-15R	2304 (1045)	\$20,942
ON3305NT0	3300*	2200	6-50P	(3) L6-30R and (4) 5-15R	405 (184)	\$8,574
ON3305NT1	3300*	2200	6-50P	(3) L6-30R and (4) 5-15R	623 (283)	\$10,974
ON3305NT2	3300*	2200	6-50P	(3) L6-30R and (4) 5-15R	761 (345)	\$11,822
ON3305NT4	3300*	2200	6-50P	(3) L6-30R and (4) 5-15R	1117 (507)	\$15,865
ON3305NT6	3300*	2200	6-50P	(3) L6-30R and (4) 5-15R	1622 (736)	\$16,444
ON3305NT8	3300*	2200	6-50P	(3) L6-30R and (4) 5-15R	1978 (879)	\$18,285
ON3305NT10	3300*	2200	6-50P	(3) L6-30R and (4) 5-15R	2334 (1054)	\$21,049
ON5000NT0	5000	3400	6-50P	(3) L6-30R and (4) 5-15R	405 (184)	\$9,996
ON5000NT1	5000	3400	6-50P	(3) L6-30R and (4) 5-15R	623 (283)	\$11,638
ON5000NT2	5000	3400	6-50P	(3) L6-30R and (4) 5-15R	761 (345)	\$13,016
ON5000NT4	5000	3400	6-50P	(3) L6-30R and (4) 5-15R	1117 (507)	\$17,081
ON5000NT6	5000	3400	6-50P	(3) L6-30R and (4) 5-15R	1622 (736)	\$17,661
ON5000NT8	5000	3400	6-50P	(3) L6-30R and (4) 5-15R	1978 (879)	\$19,547
ON5000NT10	5000	3400	6-50P	(3) L6-30R and (4) 5-15R	2334 (1054)	\$22,005

* These models are hot-swap, field-upgradeable to 5000 VA.

"NT" designates models suitable for Nortel PBX apps (includes isolated contact interface card and 8 ft. cable to connect ONEAC system monitor port to the column of PBX).

ONEAC Product Suggested Commercial Price List ONEAC ON Series UPS (Power Conditioned, Line-Interactive) (continued)

ONEAC ON Series (Quad Duplex) Full Comm. (60 Hz, 208/220-240 V input, 120/208 V or 120/220-240 V output) This product

ONEAC Part #	VA	Watts	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
ON3300A8S0	3300	2200	L6-30P	(1) L6-30R and (8) 5-15R	375 (170)	\$7,585
ON3300A8S1	3300	2200	L6-30P	(1) L6-30R and (8) 5-15R	593 (269)	\$10,355
ON3300A8S2	3300	2200	L6-30P	(1) L6-30R and (8) 5-15R	731 (332)	\$11,203
ON3300A8S4	3300	2200	L6-30P	(1) L6-30R and (8) 5-15R	1078 (489)	\$15,234
ON3300A8S6	3300	2200	L6-30P	(1) L6-30R and (8) 5-15R	1592 (722)	\$15,814
ON3300A8S8	3300	2200	L6-30P	(1) L6-30R and (8) 5-15R	1948 (884)	\$17,632
ON3300A8S10	3300	2200	L6-30P	(1) L6-30R and (8) 5-15R	2304 (1045)	\$20,911
ON3305A8S0	3300*	2200	6-50P	(1) L6-30R and (8) 5-15R	405 (184)	\$8,505
ON3305A8S1	3300*	2200	6-50P	(1) L6-30R and (8) 5-15R	623 (283)	\$10,905
ON3305A8S2	3300*	2200	6-50P	(1) L6-30R and (8) 5-15R	761 (345)	\$11,753
ON3305A8S4	3300*	2200	6-50P	(1) L6-30R and (8) 5-15R	1117 (507)	\$15,795
ON3305A8S6	3300*	2200	6-50P	(1) L6-30R and (8) 5-15R	1622 (737)	\$16,374
ON3305A8S8	3300*	2200	6-50P	(1) L6-30R and (8) 5-15R	1978 (897)	\$18,212
ON3305A8S10	3300*	2200	6-50P	(1) L6-30R and (8) 5-15R	2334 (1059)	\$21,074
ON5000A8S0	5000	3400	6-50P	(1) L6-30R and (8) 5-15R	405 (184)	\$9,926
ON5000A8S1	5000	3400	6-50P	(1) L6-30R and (8) 5-15R	623 (283)	\$11,568
ON5000A8S2	5000	3400	6-50P	(1) L6-30R and (8) 5-15R	761 (345)	\$12,946
ON5000A8S4	5000	3400	6-50P	(1) L6-30R and (8) 5-15R	1117 (507)	\$17,010
ON5000A8S6	5000	3400	6-50P	(1) L6-30R and (8) 5-15R	1622 (736)	\$17,589
ON5000A8S8	5000	3400	6-50P	(1) L6-30R and (8) 5-15R	1978 (897)	\$19,472
ON5000A8S10	5000	3400	6-50P	(1) L6-30R and (8) 5-15R	2334 (1059)	\$21,929

* These models are hot-swap, field-upgradeable to 5000 VA.

ONEAC Product Suggested Commercial Price List

ONEAC ON Series UPS (Power Conditioned, Line-Interactive) (continued)

ONEAC ON Series (Hardwired in/out) Full Communications - (60 Hz, 208/230 V Input, 115/230 V Output) This product will

ONEAC Part #	VA	Watts	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
ON3300AHW0	3300	2200	HW	HW	375 (170)	\$6,901
ON3300AHW1	3300	2200	HW	HW	593 (369)	\$10,070
ON3300AHW2	3300	2200	HW	HW	731 (332)	\$10,929
ON3300AHW4	3300	2200	HW	HW	1087 (493)	\$14,956
ON3300AHW6	3300	2200	HW	HW	1592 (722)	\$15,535
ON3300AHW8	3300	2200	HW	HW	1948 (884)	\$17,342
ON3300AHW10	3300	2200	HW	HW	2304 (1045)	\$19,761
ON3305AHW0	3300*	2200	HW	HW	405 (184)	\$7,821
ON3305AHW1	3300*	2200	HW	HW	623 (283)	\$9,857
ON3305AHW2	3300*	2200	HW	HW	761 (345)	\$11,235
ON3305AHW4	3300*	2200	HW	HW	1117 (507)	\$15,816
ON3305AHW6	3300*	2200	HW	HW	1622 (736)	\$16,394
ON3305AHW8	3300*	2200	HW	HW	1978 (897)	\$18,234
ON3305AHW10	3300*	2200	HW	HW	2334 (1059)	\$20,668
ON5000AHW0	5000	3400	HW	HW	405 (184)	\$9,238
ON5000AHW1	5000	3400	HW	HW	623 (283)	\$11,256
ON5000AHW2	5000	3400	HW	HW	761 (345)	\$12,634
ON5000AHW4	5000	3400	HW	HW	1117 (507)	\$17,031
ON5000AHW6	5000	3400	HW	HW	1622 (736)	\$17,609
ON5000AHW8	5000	3400	HW	HW	1978 (897)	\$19,494
ON5000AHW10	5000	3400	HW	HW	2334 (1059)	\$21,951

* These models are hot-swap, field-upgradeable to 5000 VA.

ONEAC Product Suggested Commercial Price List

ONEAC ON Series UPS (Power Conditioned, Line-Interactive) (continued)

ONEAC ON Series 3.3 - 5.0 kVA UPS Line-Up and Match Battery Cabinets*This product will be discontinued October 20

ONEAC Part #	Description	Ship Wt. lbs. (kg)	List Price
ONXBC-2C1017	ONEAC 3.3-5.0kVA Battery Cabinet with 1 string	360 (163)	\$3,175
ONXBC-2C2017	ONEAC 3.3-5.0kVA Battery Cabinet with 2 strings	500 (227)	\$4,619
ONXBC-4C3017	ONEAC 3.3-5.0kVA Battery Cabinet with 3 strings	720 (327)	\$5,485
ONXBC-4C4017	ONEAC 3.3-5.0kVA Battery Cabinet with 4 strings	860 (390)	\$5,774
ONXBC-6C5017	ONEAC 3.3-5.0kVA Battery Cabinet with 5 strings	1090 (494)	\$6,929
ONXBC-6C6017	ONEAC 3.3-5.0kVA Battery Cabinet with 6 strings	1230 (558)	\$7,795

ONEAC ON Series 3.3 - 5.0 kVA UPS Battery Cabinets for Additional Runtime - Call factory

ONEAC ON Series 3.0 and 5.0 kVA Options/AccessoriesThis product will be discontinued October 2007.

ONEAC Part #	Description	Ship Wt. Lbs. (kg)	Factory Installed	List Price
ON5000CM60	ON3305 Upgrade module for 5000 VA/3400 Watt capacity	50 (23)	*	\$1,708
CA-NTMERIDIAN	8' cable for interface to Nortel Meridian	5 (2)	NO	\$49
CA-NTMERIDIAN45	45' cable for interface to Nortel Meridian	8 (4)	NO	\$249
305-131	10' Input Plug for ON3300 (L6-30P)	10 (5)	NO	\$139
305-157	10' Input Plug for ON3305 and ON5000 (L6-50P)	10 (5)	NO	\$239
ONRACK	RackBuilder Kit for ON 3.3 and 5.0 kVA	68 (31)	NO	\$600
ONSEISMIC-2H-U	2 High Seismic Bracket Kit for ON 3.3 and 5.0 kVA UPS	15 (7)	NO	\$225
ONSEISMIC-3H-U	3 High Seismic Bracket Kit for ON 3.3 and 5.0 kVA UPS	19 (9)	NO	\$250
ONSEISMIC-2H-B	2 High Seismic Bracket Kit for ON 3.3 and 5.0 kVA Battery	18 (8)	NO	\$225
ONSEISMIC-3H-B	3 High Seismic Bracket Kit for ON 3.3 and 5.0 kVA Battery	25 (11)	NO	\$250

* The ON3305 models are hot-swap, field-upgradeable to 5000 VA, but can be factory installed.

ONEAC Product Suggested Commercial Price List

ONEAC Sinergy Series UPS (On-Line, Double Conversion)

ONEAC Sinergy S II Series Extended Runtime 19" Rack/Tower Models 50/60 Hz (120 V Input, 120 V Output*)

ONEAC Part #	VA	Watt	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
S0K7XAU	700	490	5-15P	(8) 5-15R	56 (25)	\$779
S0K7XAU-1	700	490	5-15P	(8) 5-15R	120 (54)	\$1,411
S0K7XAU-2	700	490	5-15P	(8) 5-15R	184 (84)	\$2,043
S0K7XAU-3	700	490	5-15P	(8) 5-15R	248 (123)	\$2,675
S0K7XAU-4	700	490	5-15P	(8) 5-15R	312 (142)	\$3,307
S1K0XAU	1000	700	5-15P	(8) 5-15R	60 (27)	\$984
S1K0XAU-1	1000	700	5-15P	(8) 5-15R	124 (56)	\$1,615
S1K0XAU-2	1000	700	5-15P	(8) 5-15R	188 (85)	\$2,247
S1K0XAU-3	1000	700	5-15P	(8) 5-15R	252 (114)	\$2,879
S1K0XAU-4	1000	700	5-15P	(8) 5-15R	316 (143)	\$3,511
S1K5XAU	1500	1050	5-15P	(8) 5-20R	60 (27)	\$1,316
S1K5XAU-1	1500	1050	5-15P	(8) 5-20R	124 (56)	\$1,947
S1K5XAU-2	1500	1050	5-15P	(8) 5-20R	188 (85)	\$2,579
S1K5XAU-3	1500	1050	5-15P	(8) 5-20R	252 (114)	\$3,211
S1K5XAU-4	1500	1050	5-15P	(8) 5-20R	316 (143)	\$3,843
S2K0XAU	2000	1400	L5-20P	20R	85 (39)	\$1,802
S2K0XAU-1	2000	1400	L5-20P	20R	192 (87)	\$2,627
S2K0XAU-2	2000	1400	L5-20P	20R	299 (136)	\$3,452
S2K0XAU-3	2000	1400	L5-20P	20R	406 (184)	\$4,277
S2K0XAU-4	2000	1400	L5-20P	20R	513 (233)	\$5,102
S3K0XAU	3000	2100	L5-30P	20R	86 (39)	\$2,516
S3K0XAU-1	3000	2100	L5-30P	20R	193 (88)	\$3,340
S3K0XAU-2	3000	2100	L5-30P	20R	300 (136)	\$4,165
S3K0XAU-3	3000	2100	L5-30P	20R	407 (185)	\$4,990
S3K0XAU-4	3000	2100	L5-30P	20R	514 (533)	\$5,815
SBP1K5-2	External Runtime Battery Cabinets for Sinergy S II Series UPSs - 700 - 1500 VA models				64 (29)	\$633
SBP3K0-2	External Runtime Battery Cabinets for Sinergy S II Series UPSs - 2000-3000 VA models				107 (49)	\$825

* Also available at 100, 127 V (selectable)

ONEAC Product Suggested Commercial Price List

ONEAC Sinergy Series UPS (On-Line, Double Conversion)

ONEAC Sinergy S II Series Extended Runtime 19" Rack/Tower Models 50/60 Hz (208 V Input, 208 V Output***)

ONEAC Part #	VA	Watt	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
S2K0XHU	2000	1400	IEC-320 10 A *	(1) IEC-320 16 A & (4) IEC-320 10 A	85 (39)	\$1,940
S2K0XHU-1	2000	1400	IEC-320 10 A *	(6) IEC-320 10 A	192 (87)	\$2,627
S2K0XHU-2	2000	1400	IEC-320 10 A *	(6) IEC-320 10 A	299 (136)	\$3,452
S2K0XHU-3	2000	1400	IEC-320 10 A *	(6) IEC-320 10 A	406 (184)	\$4,277
S2K0XHU-4	2000	1400	IEC-320 10 A *	(6) IEC-320 10 A	513 (233)	\$5,102
S3K0XHU	3000	2100	IEC-320 16 A **	(1) IEC-320 16 A & (4) IEC-320 10 A	86 (39)	\$2,626
S3K0XHU-1	3000	2100	IEC-320 16 A **	(1) IEC-320 16 A & (4) IEC-320 10 A	193 (88)	\$3,451
S3K0XHU-2	3000	2100	IEC-320 16 A **	(1) IEC-320 16 A & (4) IEC-320 10 A	300 (136)	\$4,276
S3K0XHU-3	3000	2100	IEC-320 16 A **	(1) IEC-320 16 A & (4) IEC-320 10 A	407 (185)	\$5,102
S3K0XHU-4	3000	2100	IEC-320 16 A **	(1) IEC-320 16 A & (4) IEC-320 10 A	514 (533)	\$5,927
SBP3K0-2	External Runtime Battery Cabinets for Sinergy S II Series UPSs - 2000-3000 VA models				107 (49)	\$825

* Includes a L6-20P adapter.

** Includes a L6-30P adapter.

*** Also available at 200, 220, 230, and 2340 V

ONEAC Product Suggested Commercial Price List

ONEAC Sinergy Series UPS (On-Line, Double Conversion)

ONEAC Sinergy SE II Series Extended Runtime Tower Models (50/60 Hz, 208/240 Input, 208/240/120 Output)

ONEAC Part #	VA	Watt	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
SE041XAT-0H8MX	4000	2800	hardwired	(1) L6-30R at 208V	393 (178)	\$5,344
SE041XAT-0H8NT	4000	2800	hardwired	(3) L6-30R at 208V & (4) 5-20R at 120V	396 (180)	\$5,475
SE041XAT-0H8NX	4000	2800	hardwired	(3) L6-30R at 208V & (4) 5-20R at 120V	396 (180)	\$5,344
SE041XAT-0H8PX	4000	2800	hardwired	(2) L6-30R at 208V & (8) 5-20R at 120V	393 (178)	\$5,344
SE041XAT-0H8SX	4000	2800	hardwired	(1) L6-30R at 208V; (2) L6-20R at 208V & (4) 5-20R at 120V	396 (180)	\$5,344
SE041XAT-0H8TX	4000	2800	hardwired	(2) L6-30R at 208V & (4) 5-20R at 120V	395 (179)	\$5,344
SE041XAT-0H8XX	4000	2800	hardwired	Hardwired Out at	380 (172)	\$4,848
SE041XAT-0A8MX	4000	2800	SLC-30P	(1) L6-30R at 208V	390 (177)	\$5,437
SE041XAT-0A8NT	4000	2800	SLC-30P	(3) L6-30R at 208V & (4) 5-20R at 120V	393 (178)	\$5,569
SE041XAT-0A8NX	4000	2800	SLC-30P	(3) L6-30R at 208V & (4) 5-20R at 120V	393 (178)	\$5,437
SE041XAT-0A8PX	4000	2800	SLC-30P	(2) L6-30R at 208V & (8) 5-20R at 120V	390 (177)	\$5,437
SE041XAT-0A8SX	4000	2800	SLC-30P	(1) L6-30R at 208V; (2) L6-20R at 208V & (4) 5-20R at 120V	393 (178)	\$5,437
SE041XAT-0A8TX	4000	2800	SLC-30P	(2) L6-30R at 208V & (4) 5-20R at 120V	392 (178)	\$5,437
SE041XAT-0A8XX	4000	2800	SLC-30P	208V	383 (174)	\$4,942

ONEAC Product Suggested Commercial Price List

Sinergy Series UPS (On-Line, Double Conversion)

ONEAC Sinergy SE II Series Extended Runtime Tower Models (50/60 Hz, 208/240 Input, 208/240/120 Output)

ONEAC Part #	VA	Watt	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
SE061XAT-0H8MX	6000	4200	hardwired	(1) L6-30R at 208V	395 (179)	\$6,225
SE061XAT-0H8NT	6000	4200	hardwired	(3) L6-30R at 208V & (4) 5-20R at 120V	398 (181)	\$6,357
SE061XAT-0H8NX	6000	4200	hardwired	(3) L6-30R at 208V & (4) 5-20R at 120V	398 (181)	\$6,225
SE061XAT-0H8PX	6000	4200	hardwired	(2) L6-30R at 208V & (8) 5-20R at 120V	395 (179)	\$6,225
SE061XAT-0H8SX	6000	4200	hardwired	(1) L6-30R at 208V; (2) L6-20R at 208V & (4) 5-20R at 120V	398 (181)	\$6,225
SE061XAT-0H8TX	6000	4200	hardwired	(2) L6-30R at 208V & (4) 5-20R at 120V	397 (180)	\$6,225
SE061XAT-0H8XX	6000	4200	hardwired	208V	380 (172)	\$5,730
SE061XAT-0B8MX	6000	4200	SLC-50P	(1) L6-30R at 208V	393 (178)	\$6,319
SE061XAT-0B8NT	6000	4200	SLC-50P	(3) L6-30R at 208V & (4) 5-20R at 120V	396 (180)	\$6,451
SE061XAT-0B8NX	6000	4200	SLC-50P	(3) L6-30R at 208V & (4) 5-20R at 120V	396 (180)	\$6,319
SE061XAT-0B8PX	6000	4200	SLC-50P	(2) L6-30R at 208V & (8) 5-20R at 120V	393 (178)	\$6,319
SE061XAT-0B8SX	6000	4200	SLC-50P	(1) L6-30R at 208V; (2) L6-20R at 208V & (4) 5-20R at 120V	396 (180)	\$6,319
SE061XAT-0B8TX	6000	4200	SLC-50P	(2) L6-30R at 208V & (4) 5-20R at 120V	395 (179)	\$6,319
SE061XAT-0B8XX	6000	4200	SLC-50P	208V	386 (175)	\$5,824
SEBP610-2	Line Up and Match Ext Runtime Battery Cabinets for Sinergy SE II Series UPSs (2 per UF				356 (162)	\$2,743

ONEAC Product Suggested Commercial Price List

Sinergy Series UPS (On-Line, Double Conversion)

ONEAC Sinergy SE II Series Extended Runtime Tower Models (50/60 Hz, 208/240 Input, 208/240/120 Output)

ONEAC Part #	VA	Watt	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
SE081XAT-0H8NT	8000	5600	hardwired	(3) L6-30R at 208V & (4) 5-20R at 120V	458 (208)	\$9,443
SE081XAT-0H8XX	8000	5600	hardwired	Hardwired Out at 208V	440 (200)	\$8,816
SE101XAT-0H8NT	10000	7000	hardwired	(3) L6-30R at 208V & (4) 5-20R at 120V	458 (208)	\$11,647
SE101XAT-0H8XX	10000	7000	hardwired	Hardwired Out at 208V	440 (200)	\$11,020
SEBP610-2	Line Up and Match Ext Runtime Battery Cabinets for Sinergy SE II Series UPSs (2 per UF				356 (162)	\$2,743

ONEAC Sinergy SE II Series Extended Runtime Parallel Models (50/60 Hz, 208/240 Input, 208/240/120 Output) Including start-up and commissioning.

ONEAC Part #	VA	Watt	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
SE122XAT-0H8XX	12000	8400	hardwired	Hardwired Out at 208V	760 (345)	\$16,519
SE162XAT-0H8XX	16000	11200	hardwired	Hardwired Out at 208V	880 (399)	\$19,826
SE202XAT-0H8XX	20000	14000	hardwired	Hardwired Out at 208V	880 (399)	\$22,031
SEBP610-2	Line Up and Match Ext Runtime Battery Cabinets for Sinergy SE II Series UPSs (2 per UF				356 (162)	\$2,743

ONEAC Sinergy Series Extended Runtime Battery Cabinets for additional runtime - call factory

Sinergy Accessories

ONEAC Part #	Description	Description	Ship Wt. Lbs. (kg)	List Price
SPDU2K-0-8	Power Distribution Unit For Use with Sinergy UPS 2 kVA Rackmount		10 (5)	\$150
SPDU3K-0-8	Power Distribution Unit For Use with Sinergy UPS 3 kVA Rackmount		10 (5)	\$150
AK-NTMERID-O2	For Nortel Networks Apps- isolated contacts card and 8' cable connects Sinergy Series UPS to system monitor port J4 in master column of PBX		1 (.5)	\$119

ONEAC Product Suggested Commercial Price List

Linear Plus Rack-Mount UPS

Chloride Linear Plus Extended Runtime UPS 19" Rack-mount 50/60 Hz (200, 208, 230, or 240 V Input; 200, 208, 230, or 240 V Output)

ONEAC Part #	VA	Watt	Plug	Receptacle	Ship Wt. lbs. (kg)	List Price
LP061XHR-1H8XX	6000	4200	hardwired	C19	218 (99)	\$4,810
LP061XHR-2H8XX	6000	4200	hardwired	C19	379 (172)	\$6,320
LP061XHR-3H8XX	6000	4200	hardwired	C19	540 (245)	\$7,830
LP061XHR-4H8XX	6000	4200	hardwired	C19	701 (318)	\$9,340
LP061XHR-5H8XX	6000	4200	hardwired	C19	862 (391)	\$10,850
LP101XHR-1H8XX	1000	7000	hardwired	C19	222 (101)	\$6,710
LP101XHR-2H8XX	1000	7000	hardwired	C19	383 (174)	\$8,220
LP101XHR-3H8XX	1000	7000	hardwired	C19	544 (247)	\$9,730
LP101XHR-4H8XX	1000	7000	hardwired	C19	7055 (319)	\$11,240
LP101XHR-5H8XX	1000	7000	hardwired	C19	866 (393)	\$12,750
LPBP100-2	External Runtime Battery Cabinets for Linear Plus Rackmount UPSs - 6-10 kVA models				161 (73)	\$1,510

ONEAC Product Suggested Commercial Price List

Connectivity Software and Accessories

Unattended Shutdown and Management

ONEAC Part #	Description	Ship Wt. Lbs. (kg)	List Price
SK-PROMOP-O	For ON Series UPS - MopUPS® Professional Software Kit for Intel-Based Systems (includes software and cable). Compatible w/Windows NT/2000/XP/(ME)/98/95, Novell Netware v4.x & 5.1, Redhat Linux and Unix	1 (.5)	\$99
SK-PROMOP-O2	For Sinergy Series UPS - MopUPS® Professional Software Kit for Intel-Based Systems (includes software and cable). Compatible w/Windows NT/2000/XP/(ME)/98/95, Novell Netware v4.x & 5.1, Redhat Linux and Unix	1 (.5)	\$99
SK-PROMOP-C	For Linear Plus UPS - MopUPS® Professional Software Kit for Intel-Based Systems (includes software and cable). Compatible w/Windows NT/2000/XP/(ME)/98/95, Novell Netware v4.x & 5.1, Redhat Linux and Unix	1 (.5)	\$99
SK-PROMOPRU-O	For ON Series UPS - MopUPS® Professional Software Kit for RISC and Intel based OS (includes software and cable). Compatible w/Sun Solaris (2.5 and up), HP UX (11.0), and IBM AIX (4.3.2) and Windows NT/2000/XP/(ME)/98/95, Novell Netware v4.x & 5.1, Redhat Linux, Unix, SCO.	1 (.5)	\$178
SK-PROMOPRU-O2	For Sinergy Series UPS - MopUPS® Professional Software Kit for RISC and Intel based OS (includes software and cable). Compatible w/Sun Solaris (2.5 and up), HP UX (11.0), and IBM AIX (4.3.2) and Windows NT/2000/XP/(ME)/98/95, Novell Netware v4.x & 5.1, Redhat Linux, Unix and SCO.	1 (.5)	\$178
SW-MOPPR-CO1	For Linear Plus UPS - MopUPS® parallel/redundant. 1 host, 1 parallel, up to 5 modules.	1 (.5)	\$415
SL-PROMOP25	MopUPS Professional Site License 25 users	1 (.5)	\$1525**
SL-PROMOP50	50 users	0	\$2760**
SL-PROMOP100	100 users	0	\$4968**

** Non-discountable items.

Remote Manageability

ONEAC Part #	Description	Ship Wt. Lbs. (kg)	List Price
AM-00-O	ManageUPS®NET SNMP/WEB Adapter Kit for ON Series Universal Mount UPS (ON700, ON1000, ON1500 and ON2000) & Sinergy II Series UPS (adapter & software)	1 (.5)	\$499
AM-00-OL	ManageUPS®NET SNMP/WEB Adapter Kit for Vintage ON Series UPS (V96) (adapter & software)	1 (.5)	\$499
AM-00-C	ManageUPS®NET SNMP/WEB Adapter Kit for Linear Plus UPS (adapter & software)	1 (.5)	\$499
AM-LP-O	ManageUPS®NET SNMP/WEB Adapter Kit for Sinergy I Series UPS (adapter & software)	1 (.5)	\$499
AME-LP-O	ManageUPSNET SNMP/WEB Adapter Kit with environmental probe for Sinergy S I and SE I Series UPS (adapter & software)	1 (.5)	\$650
AME-LP-C	ManageUPSNET SNMP/WEB Adapter Kit with environmental probe for Linear Plus UPS (adapter & software)	1 (.5)	\$640
AME-10-O	ManageUPSNET SNMP/WEB Adapter Kit with environmental probe for ON Series Universal Mount and Sinergy S II and SE II Series UPS (adapter & software)	1 (.5)	\$650

Communication Cables and Accessories for Systems with Native UPS Monitoring Capabilities

ONEAC Part #	Description	Ship Wt. Lbs. (kg)	List Price
CK-ONEPLUS	Y-Cable for multi-server shutdown	2 (.9)	\$69
CA-9F	6 Foot DB9F-DB25F Serial Port Cable	1 (.5)	\$39
CA-AS400B	6 Foot DB25F-DB15M Serial Port Cable	1 (.5)	\$39
AK-NTMERIDIAN	For Nortel Networks Apps- isolated contacts card and 8' cable connects ON Series UPS to system monitor port J4 in master column of PBX	5 (2)	\$119

ONEAC Product Suggested Commercial Price List

Chloride Desk Power UPS (Standby)

Chloride Desk Power w/USB Communications Port and RJ45 Surge-Protected Fax/Modem Port (50/60 Hz Auto-Detecting Frequency, 120 V Input, 120 V Output)

ONEAC Part #	VA	Watt	Plug	Receptacle	Ship Wt. Lbs. (kg)	List Price
DP300A-UB	300	180	(1) cord with 5-15P	(2) 5-15R surge-only protected and (2) 5- 15R batt. protected	8 (4)	\$142
DP500A-UB	500	300	(1) cord with 5-15P	(2) 5-15R surge-only protected and (2) 5- 15R batt. protected	10 (4.5)	\$198
DP650A-UB	650	390	(1) cord with 5-15P	(1) 5-15R surge-only protected and (4) 5- 15R batt. protected	12 (5)	\$274

Chloride Desk Power Accessories

ONEAC Part #	Description	Ship Wt. lbs. (kg)	List Price
DP-BRACKET	Bracket for mounting Desk Power to side or back of rack	5 (2)	\$43
DP-RACK	19" Rackmountable Shelf	2 (1)	\$64

ONEAC Product Suggested Commercial Price List

Replacement Battery Plans

Replacement Battery Packs and Cabinets for ONEAC UPSs

Replacement battery packs are original equipment, pre-wired battery packs with installation instructions, return shipment carton, prepaid return freight and a 2-year warranty. Return used batteries to ONEAC for trouble-free recycling.

ONEAC Part #	Battery Pack Description	Ship Wt lb. (kg)	List Price
DPBP-104	Replacement Battery Pack for DP300	5 (3)	\$40
DPBP-107	Replacement Battery Pack for DP500	5 (3)	\$48
DPBP-109	Replacement Battery Pack for DP650	5 (3)	\$64
ONEPLUSBP-107	Replacement Battery Pack for ONE254	6 (3)	\$85
ONEPLUSBP-109	Replacement Battery Pack for ONE404	6 (3)	\$95
ONEPLUSBP-207	Replacement Battery Pack for ONE604	14 (6)	\$165
ONEPLUSBP-307	Replacement Battery Pack for ONE1004	20 (9)	\$185
ONEBP-107	Replacement Battery Pack for ONe200, ONe300, ONm300 Models	7 (3)	\$65
ONEBP-207	Replacement Battery Pack for ONe300D, ONm300D, ONe200x-W/M, ONe300X-W/M Models	13 (6)	\$125
ONEBP-210	Replacement Battery Pack for ONe200D Models	10 (5)	\$85
ONBP-204	Replacement Battery Pack for ON400 (v96)*, ON280 (v92)	8 (4)	\$120
ONBP-207	Replacement Battery Pack for ON600 (v96* or v92), ON400XR, ONe400D, ONe600X, ONm600X Models	13 (6)	\$140
ONBP-405	Replacement Battery Pack for ON700, ON1000, ON1500; for ON2000 (Qty 2 Required) Universal Mount Models	19 (9)	\$335
ONBP-407	Replacement Battery Pack for ON900 (v92) Models	26 (12)	\$305
ONBP-410	Replacement Battery Pack for ON900 (v96)* Models; for ON2000X-4U-SN, ON2000X-4U-4N (internal, qty 2 required)	19 (9)	\$235
ONBP-517	Replacement Battery Pack for ON3300, ON3305, ON5000 Models (Qty 2 required) - replaces one string (10 batteries)	146 (66)	\$685
ONBP-607	Replacement Battery Pack for ON1300 (v92) Models	37 (17)	\$445
ONBP-217	Replacement Battery Pack for ON1300 (v96)*, ON400X-WL, ON600X-WL Models; for ON2000X-SR-SN (internal, qty 2 required)	30 (14)	\$280
ONBP-807	Replacement Battery Pack for ON2000 (v92) Models	49 (22)	\$525
SBP-307	Replacement Battery Pack for Sinergy II Series S0K7		\$350
SBP-309	Replacement Battery Pack for Sinergy II Series S1K0 and S1K5		\$375
SBP-607	Replacement Battery Pack for Sinergy II Series S2K0		\$585
SBP-609	Replacement Battery Pack for Sinergy II Series S3K0		\$640
SEBP-2007	Replacement Battery Pack for Sinergy II Series SE041 and SE061		\$1,645
SEBP-2009	Replacement Battery Pack for Sinergy II Series SE081 and SE101		\$1,895

* V96 models have 'N' (A-SN or I-SN) in the UPS part number, i.e.: ON400A-SN

ONEAC Product Suggested Commercial Price List

Replacement Battery Plans

ONEAC Part #	Battery Cabinet Description	Ship Wt lb. (kg)	List Price
ONEXBC-W-217R**	Replacement Battery Cabinet for ONe200X-WM, ONe300X-WM Models (ext. battery cabs.)	38 (17)	\$278
ONEXBC-217R**	Replacement Battery Cabinet for ONe600X, ONm600X Models (ext. battery cabs.)	60 (27)	\$278
ONBC-417R**	Replacement Battery Cabinet for ON2000 (v96)* Models	74 (34)	\$600
ONXBC-417R**	Replacement Battery Cabinet for ON600X, ON900X, ON2000X, ON2200X Models	74 (34)	\$600
ONBC-RM-417R**	Replacement Battery Cabinet for ON2000-RM (v96)* Models	84 (38)	\$770
ONXBC-SR-417R**	Replacement Battery Cabinet for ON2000X-SR-SN, ON2000X-4U-SN, ON2000X-4U-4N Models (ext. bat. cabs.)	79 (36)	\$770
ONXBCU-417R**	Replacement Battery Cabinet for ON700, ON1000, ON1500, and ON2000 Universal Mount Models	82 (37)	\$600
SBP1K5-2R**	Replacement Battery Cabinets for Sinergy II Series S0K7, S1K0, S1K5		\$505
SBP3K0-2R**	Replacement Battery Cabinets for Sinergy II Series S2K0 and S3K0		\$660
SEBP610-2R**	Replacement Battery Cabinet for Sinergy II Series UPS		\$2,180
LPBP100-2R**	Replacement Battery Pack for Linear Plus Rack-mount UPS (6 & 10 kVA)		\$1,210

* V96 models have 'N' (A-SN or I-SN) in the UPS part number, i.e.: ON400A-SN

5-Year Extended Battery Warranty for ON Series and Sinergy Series UPSs - call factory

ONEAC Product Suggested Commercial Price List

Service Offerings

Training

Part #	Description	
TS-05-BPG	Basic Power and Grounding Training: (up to five students) This course covers basic electrical and grounding procedures for systems utilizing power conditioners, UPS systems and Telco line protection. Subjects include testing AC outlets and proper grounding techniques for all system components, including OPX lines. In addition, different types of power and line protection devices are compared and contrasted as to the actual level of protection provided. This course is an instructor-led, hands-on course targeting installation and maintenance.	\$1,000
TS-05-APG	Advanced Power and Grounding Training: (up to five students) This course builds on the material in the Basic Power and Grounding course and focuses on how to perform procedures and analyze information utilizing electronic test equipment. Emphasis is placed on both AC and line power problems and resolution techniques utilizing hands-on work with various test equipment.	\$1,000
TS-01	Training for each additional student.	\$200
TS-TE	Training Course Travel & Expenses (Billed at ONEAC's Cost)	TBD

Field Service Support

Part #	Description	
SA-0800TPRE	Site Audit – Full Day Service Pre-installation Survey: Includes testing of all existing AC power and Telco cabling for system acceptability. Emphasis is placed on existing bonding and grounding as well as AC power output and susceptibility to high-speed transient voltages. An informal assessment on the site status will be provided to a local technician or supervisor upon request. This survey should be completed at least a week prior to system installation. This will provide adequate reaction time in case site modifications to the electrical or grounding scheme are necessary.	\$1,000
SA-0800TPOST	Post-installation Survey: Includes complete testing of AC and Telco cabling to ensure proper grounding, bonding and AC output levels are present on system components. If ONEAC products are utilized, testing will be conducted to ensure they are properly sized and installed correctly. A trained technician or supervisor must be in attendance during this survey. An informal assessment will be provided to a local technician or supervisor at the conclusion of the survey and a formal report is available upon request. This survey should take place after all associated equipment is installed and no later than two weeks after system cutover.	\$1,000
SA-0800TTSI	Trouble-Site Investigation: This is an in-depth survey conducted on a selected trouble location to determine the correctness of AC power input, proper operation of installed ONEAC protection devices (power conditioners, UPS systems and Telco line protectors), as well as proper bonding and grounding procedures on all system components. This inspection must be conducted with a trained technician or supervisor in attendance. Informal feedback will be provided at the conclusion of the site visit and formal, written feedback is available for an additional fee.	\$1,000
SA-FR	Site Audit-Formal Report	\$600
SA-TE	Site Audit Travel & Expenses (Billed at ONEAC's Cost)	TBD