

CHLORIDE

Secure Power, Always

Product Overview



Three-phase and single-phase power quality solutions for your mission critical applications.



Uninterruptible Power Supplies (UPS)

Chloride knows that different applications call for different levels of power protection. That's why we offer multiple UPS solutions including three-phase and single-phase UPSs, and power conditioned UPSs featuring standby, line-interactive, and on-line double conversion topologies. The equipment, the environment and the individual application are key factors in choosing the right level of protection.

THREE-PHASE UPSs

ON-LINE DOUBLE CONVERSION



Chloride CP Series 3020 UPS

10 to 20 kVA modules
208-480 input/208-480 output, 60 Hz
Parallel up to 8 modules
Optional LIFE.net
Optional full Chloride Connectivity Suite



Chloride EDP70Plus UPS

12 kVA to 80 kVA
208-480 input/208-480 output, 60 Hz
Optional LIFE.net
Optional full Chloride Connectivity Suite



Chloride CP Series 3150 UPS

125 to 150 VA modules
208-480 input/208-480 output, 60 Hz
Output power factor 0.9 leading - 0.9 lagging
Parallel up to 8 modules
Optional LIFE.net
Optional full Chloride Connectivity Suite



Chloride 90-NET UPS

180 to 750 kVA modules
480 V, 60 Hz
Output power factor 0.9 leading - 0.9 lagging
Parallel up to 8 modules
Optional LIFE.net
Optional full Chloride Connectivity Suite



SINGLE-PHASE UPSs

POWER CONDITIONED, LINE-INTERACTIVE



ONEAC® OnePlus™ Series UPS

250 to 1000 VA
120 V or 230 V, 50/60 Hz
Basic communications
MopUPS EXPRESS software
ONEGROUND technology included



ONEAC ON Series® e UPS

300 to 600 VA
120 V, 60 Hz or 120 or 230 V, 50/60Hz
Basic and Advanced communications
Tower and wall-mount
ONEGROUND technology optional



ONEAC ON Series m UPS

Medical applications UL60601-1/IEC60601-1
300 to 600 VA
120/230 V, 50/60 Hz
Basic communications
Scalable runtime



ONEAC ON Series UPS

400 VA to 2200 VA
120 V, 60 Hz or 230 V, 50/60Hz
Basic and Advanced communications
MopUPS PROFESSIONAL software
Scalable runtime



ONEAC ON Series 3000 VA UPS

3000 VA
208 V or 230 V input, 120/230 V output, 60Hz
Basic and Advanced communications
MopUPS PROFESSIONAL software
Scalable runtime & controllable receptacles



STANDBY

Chloride Desk Power UPS

300 to 650 VA
120 V, 50/60 Hz
MopUPS® EXPRESS Software

ON-LINE, DOUBLE CONVERSION



Chloride Active Series UPS ONEAC Sinergy S II Series UPS

700 to 3000 VA
120 V, 50/60 Hz
Advanced communications
MopUPS PROFESSIONAL software
Scalable runtime



Chloride Active Series UPS ONEAC Sinergy S II Series UPS

2000 to 3000 VA
200-240 V, 50/60 Hz
Advanced communications
MopUPS PROFESSIONAL software
Scalable runtime



Chloride Linear Plus Tower UPS ONEAC Sinergy SE II UPS

4 to 20 kVA
200-240 V single-phase input,
For North America, Europe, Japan, 50/60 Hz
Power conditioned
Advanced communications



Chloride Linear Plus Rack-Mount UPS

6 to 10 kVA
208, 230, 240 V, 50/60 Hz
Advanced communications
MopUPS PROFESSIONAL software
Scalable runtime



Power Conditioners

The ONEAC power conditioner design incorporates a low-impedance isolation transformer that limits peak voltage (amplitude) and the edge-speed (frequency) of electrical transients. Suitable for replacing dedicated isolated ground circuits, the ONEAC power conditioned solutions feature the patented Virtual Kelvin Ground®—a unique grounding methodology that creates a noise-free power environment.

High-Performance Power Filters

Sensitive electronic equipment requires protection from the disruptive effects of ongoing power line noise. ONEAC power filters provide an electrically clean, quite, and stable environment.

THREE-PHASE POWER CONDITIONERS



ONEAC CDR Series Power Conditioner

7.2 to 45 kVA

Multiple input voltages from 190-480 V

208/120 V output (400/230 V output

available on 45 kVA models), 50/60 Hz

Features voltage conversion

Flexible power distribution options



ONEAC CLD Series Power Conditioner

54 to 100 kVA

Multiple input voltages from 190 to 480 V

208/120 V output, 50/60 Hz




ONEAC CD Series Power Conditioner

21.6 to 100 kVA

Multiple input voltages from 190-480 V

208/120 V output, 50/60 Hz

Features the maximum amount of output power distribution options.




SINGLE-PHASE POWER CONDITIONERS



ONEAC ConditionOne® Series Power Conditioner

75 to 1000 VA
120/230 V, 50/60 Hz
Floor- or wall-mountable
Optional ONEGROUND Technology



ONEAC PCm Series Power Conditioner

Medical applications UL60601-1/IEC60601-1
120 to 3000 VA
120/230 V, 50/60 Hz
Floor- or wall-mountable



ONEAC CX Series Power Conditioner

140 VA to 9.6 kVA
120/240/480 V, 50/60 Hz
Features voltage conversion



ONEAC CB/CC Series Power Conditioner

1.4 to 5.76 kVA
120 V, 60 Hz



ONEAC CBS/CCS Series Power Conditioner

1.92 to 4.8 kVA
110-240 V input
114-240 V output
50/60 Hz
Features voltage conversion



ONEAC CSR Series Power Conditioner

5.76 to 9.6 kVA
100-480 V input
120, 240, or 120/240 V split-phase output
50/60 Hz

POWER FILTERS



ONEAC FA Series Power Filter

30 to 100 Amp (single- or three-phase)
173-600 V, 50/60 Hz
Floor- or wall-mountable
Features a NEMA 12 enclosure



Communication Line Protectors

ONEAC communication line protectors minimize dropped calls, dropped data connections and other random voice and data line problems. Offering the highest level of protection, ONEAC CLPs feature patented technology designed specifically for today's advanced communication circuits.




SENTINEL SERIES



ONEAC Sentinel N5 Series CLP

For 5-pin bases
For analog, digital, ADSL, T1 and DSL lines



ONEAC Sentinel N6 Series CLP

For M-150 66 block connection types
For analog, digital, ADSL and T1 lines



ONEAC Sentinel 10 Series CLP


For Krone LSA Plus 237A (or compatible)
For analog and digital lines

ONLINE SERIES



ONEAC OnLine 5S Series CLP

For 5-pin bases
For analog and digital lines



ONEAC OnLine 6 Series CLP

For M-150 66 block connection types
For analog and digital lines



ONEAC OnLine RJ Series CLP

For RJ-type modular connections. RJ Series for analog, digital and high-speed data lines. Also available for hardwired applications



ONEAC OnLine 1 Series CLP

For Porta connection types
Protects analog and digital lines



OnLine 10 Series CLP

For Krone LSA Plus 237A (or compatible)
Protects analog and digital lines



OnLine Ethernet and RS232 CLP

For 10/100BaseT, Power over Ethernet network lines and RS232, serial communication interfaces

CONVERGENT SERIES



ONEAC Modular Protectors

Available for a variety of communication lines— analog, digital, and high-speed data lines.



ONEAC Base Units

Rack-, shelf-, or wall-mountable. Houses ONEAC's Convergent Series modular line protectors. Available in 5-, 10-, and 16-port.

UPS Communications Software and Accessories

Chloride provides connectivity solutions for:

- Integration with central monitoring systems; IT NMS via SNMP or facilities BMS via MODBUS
- Safe server shutdown; load shedding
- Incident notification via e-mail
- Event logging for trend analysis

More information about connectivity products can be found online.

Service

Chloride's Factory Service Programs provide insurance for your UPS and power conditioner investment. We offer:

- Extended warranties
- Battery replacement and recycling
- Battery upgrades
- kVA upgrades
- Preventive maintenance plans
- UPS refurbishing
- Recertifying
- On-site spare parts kits



UPS COMMUNICATIONS SOFTWARE & MONITORING



MopUPS® PROFESSIONAL

Software for UPS monitoring and safe shutdown of computers running Windows, Linux, or Unix.



ManageUPS® NET ADAPTER

Specialized micro-computers with embedded software for UPS monitoring.



ManageUPS CIO

Software providing a central management system for power infrastructure distributed within a building, campus, or wide area network environment.

To learn more about connectivity products, please visit our website:
<http://connectivity.chloridepower.com/>

SERVICE OFFERINGS



Replacement Batteries and Recycling

Chloride offers OEM battery packs or pre-wired cabinets, and larger batteries that can be installed on-site by our factory-certified field service staff. Replacement battery purchases include recycling of spent batteries in compliance with all EPA, DOT and/or federal and state regulations.



Extended Warranties and Preventative Maintenance

We offer comprehensive maintenance contracts including annual or bi-annual visits. In addition, the plan covers all emergency visits and repair costs. The contract can be tailored to your individual requirements with telephone support 24 hours a day, seven days a week and all with rapid on-site response times.



LIFE.net Remote Monitoring

A remote monitoring and management service enabling Chloride's service center to rapidly detect any abnormalities in the operation of your Chloride three-phase UPSs.



24 hour, 7 days a week

Our technical support team is available 24 hours, 7 days a week to provide you with the best support available.

CHLORIDE

Chloride North America

27944 North Bradley Road
Libertyville, IL 60048
USA
Telephone: 800 327 8801, 847 816 6000
Single-Phase Technical Service: 800 327 8801
Three-Phase Technical Service: 800 388 4234
Facsimile: 847 680 5124
www.chloride-na.com

Chloride Italy

Via Fornace, 30
40023 Castel Guelfo (BO)
Italy
Telephone: +39 0542 632 111
Facsimile: +39 0542 632 120
enquiries@chloridepower.com

Chloride United Kingdom

George Curl Way
Southampton, Hampshire
SO18 2RY
United Kingdom
Telephone: +44 (0) 23 8061 0311
Facsimile: +44 (0) 23 8061 0852
uk.enquiries@chloridepower.com
www.chloridepower.com/uk

Chloride France

1 rue Felix Potin
ZA les Belles Vues
91290 Arpajon
France
Telephone: +33 (0) 1 69 26 12 81
Facsimile: +33 (0) 1 60 83 18 16

Masterguard Germany

Schallershofer Str. 141
D91056
Erlangen
Telephone: +49 9131 9855 100
Facsimile: +49 9131 9855 270
info@masterguard.de
www.masterguard.de

Chloride Australia

Ground Floor
16 Giffnock St, North Ryde
NSW 2113
Australia
Telephone: +61 2 9888 1266
Facsimile: +61 2 9888 1966
australia.sales@chloridepower.com
www.chloridepower.com/au

Chloride Thailand

127/25 Panjathani Tower 20th Floor,
Nonsee Road
Chongnonsee, Yannawa,
Bangkok 10120
Thailand
Telephone: +662 296 9800
Facsimile: +662 681 0109
thailand.sales@chloridepower.com

Chloride Middle East

Building 5, Office 104
Dubai Internet City - Dubai
UAE
PO Box 72536
Telephone: +971 4 391 3205
Facsimile: +971 4 391 6803
middleeast.sales@chloridepower.com
www.chloridepower.com/middle-east

Masterguard Turkey

Guc Kaynaklari Ltd. Sti.
Cavusoglu Mah. Spor Cad. No:84 Kat: 2-3
34870 Kartal-Istanbul
Telephone: +90 216 586 7900
Facsimile: +90 216 586 7979
info@masterguard.com.tr
www.masterguard.com.tr

Chloride Brazil

Av. Eng. Alberto de Zagottis, 695
Jurubatuba - São Paulo - SP
CEP: 04675-085 Brazil
Telephone: +55 11 5541 5599
Facsimile: +55 11 5541 5599
vendas@chloridepower.com

Chloride Group PLC Corporate Headquarters

Ebury Gate
23 Lower Belgrave Street
London
SW1W 0NR
United Kingdom
Telephone: +44 (0) 20 7881 1440
Facsimile: +44 (0) 20 7730 5085
enquires@chloridegroup.com
www.chloridepower.com

For a full list of contacts in other countries, please visit our website at www.chloridepower.com
For all the latest information on Chloride's Connectivity Solutions, please visit: <http://connectivity.chloridepower.com>

This company has a policy of continuous product development and improvement, and we therefore reserve the right to vary any information or specification without prior notice.

ONEAC, ONePlus, ON Series, Virtual Kelvin Ground, ConditionOne, Sinergy, ManageUPS and MopUPS are registered trademarks of Chloride Group plc or its subsidiary companies. All other trademarks, product and corporate names are the property of their respective owners.